UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,267	11/17/2003	Nathan R. Brown	ROUND 3.0-131 DIV III	4590
58907 ROUND	7590 11/17/201		EXAMINER	
LERNER, DAVID, LITTENBERG, KRUMHOLZ & M 600 SOUTH AVENUE WEST WESTFIELD, NJ 07090		MACARTHUR, SYLVIA		
		ART UNIT	PAPER NUMBER	
			1716	
			MAIL DATE	DELIVERY MODE
			11/17/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
Supplemental	10/715,267	BROWN, NATHAN R.	
Notice of Allowability	Examiner	Art Unit	
	Sylvia R. MacArthur	1716	
he MAILING DATE of this communicat	ion appears on the cover sheet with	the correspondence address	

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/14/2010. 2. The allowed claim(s) is/are 1,4-6,9-25 and 27-29. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🔲 All b) ☐ Some* c) ☐ None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____ Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) I hereto or 2) I to Paper No./Mail Date ____ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4.

Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9.
Other

Application/Control Number: 10/715,267 Page 2

Art Unit: 1716

DETAILED ACTION

Supplemental Examiner's Amendment

1. The following is a marked up copy correcting claims 4,5 to show their dependency on claim 1 as reflected in the amendment of 7/14/2010. The examiner inadvertently omitted these changes in the Examiner's Amendment of 10/4/2010.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE CLAIMS

- 4. (Currently Amended) The method of <u>claim 3 claim 1</u>, wherein magnetically biasing comprises magnetically repelling at least one of the rigid, independently movable pressurization structures toward the backside.
- 5. (Currently Amended) The method of <u>claim 3 claim 1</u>, wherein magnetically biasing comprises magnetically attracting at least one of the rigid, independently movable pressurization structures toward the backside.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sylvia R. MacArthur whose telephone number is 571-272-1438. The examiner can normally be reached on M-Th during the hours of 8 a.m. and 4:30 p.m..

Application/Control Number: 10/715,267 Page 3

Art Unit: 1716

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on 571-272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

November 16, 2010

/Sylvia R MacArthur/ Primary Examiner, Art Unit 1716